

SAMSUNG SMART SIGNAGE PMF-BC SERIES

Achieve compelling customer engagement through all-in-one touchscreen displays

Samsung's PMF-BC displays combine the visual power of its signage with the touch-driven efficiency of its interactive offerings to better serve the needs of retail, public, corporate and transportation environments, among others. The displays allow consumers to seamlessly navigate a range of relevant content without interference from surrounding light or environmental conditions. The integrated, powerful Tizen operating system grants PMF-BC users exciting capabilities to deliver rich, engaging content with minimal operational burden required. Beyond a potential uptick in sales and engagement, businesses also benefit from the reduced total operational costs that come with a low-maintenance, hassle-free visual display upgrade.

HIGHLIGHTS

-11-11-

- Capacitive touch technology makes up to 10 different touch points available simultaneously
- All-in-one signage package includes integrated media player and content management tools
- Powerful Tizen operating system ensures seamless operations and captivating graphic performance
- Bright, non-glare design enhances readability regardless of surrounding lighting
- IP5x certification signifies displays' resistance to dust and dirt exposure
- Durable, 24/7 performance ensures continuous interactivity and content sharing
- Easy, flexible display control possible through a centralized infrared receiver (IR)

SAMSUNG

As today's businesses seek new ways to stand out among increasingly crowded competition, interactivity and convenience have become more a critical component of day-to-day operations. Today's tech-savvy consumers have come to expect a touch-driven experience with access to more relevant information and higher quality content than static alternatives provide. Likewise, these consumers are growing more accustomed to self-service, and the convenience that comes with placing and fulfilling their own orders for items ranging from train tickets to fast food. For businesses, an upgrade to kiosk displays delivers engagement, simplicity and speed that customers will remember, while simultaneously enabling more cost-efficient management.

WHY SAMSUNG?

As the world's leading digital display company, Samsung Electronics maintains a commitment to innovation that responds to industry trends and allows businesses of all varieties to operate smarter – and better. This includes being a pioneer in the touch-interactive display space, ranging from small-screen kiosk signage to large-format interactive white boards. Regardless of the environment, Samsung offers total solutions signage technologies that ease implementation and maintenance. Through a sleek, elegant design and extended performance, Samsung's interactive displays also overcome common limitations and enhance customer interaction without disrupting overall operations.



PIONEER IN THE TOUCH SOLUTION



SUPERIOR IMAGE QUALITY



SOLID RELIABILITY





POWERFUL, CONVENIENT MANAGEMENT THROUGH AN ALL-IN-ONE COMPOSITION


Samsung's PMF-BC displays condense several vital signage components – including a powerful operating system, embedded media player and capacitive touch technology – into an all-in-one solution. Backed by the versatile Tizen OS, the PMF-BC displays deliver dynamic, touch-enabled content without requiring external PCs or devices. An intuitive interface further drives quick and convenient navigation across essential applications and content.



COMFORTABLE, MULTI-POINT CAPACITIVE TOUCH COMMUNICATION

Through capacitive touch technology and a user-friendly design, Samsung's PMF-BC displays foster a comfortable, easy-to-navigate digital writing experience. The interactive displays can accommodate 10 unique touch points* while maintaining the smooth, familiar feel of analog board or pen-and-paper writing, and without interference from dust, sunlight or other natural variables.

* The number of available touch points varies depending on configuration. Connected external PCs provide the PMF-BC display with 10 touch points, while the integrated



BRILLIANT, GLARE-FREE VISUAL QUALITY

Featuring elevated contrast ratios and 400nit brightness, the PMF-BC displays showcase highly visible content even in environments subject to variable lighting conditions. A non-glare, glass touch front panel further reduces the impact of natural and ambient light interference and guarantees consistent readability, while a complementary anti-haze coating drives smooth, uninterrupted on-screen navigation.



RELIABLE, DUST-RESISTANT DESIGN FOR CONTINUOUS CONTENT DELIVERY

operating system supports two additional touch points.

Designed for 24/7 operations, Samsung's PMF-BC displays build trust for users looking to deliver unwavering messaging without ongoing maintenance. Each PMF-BC display undergoes rigorous IP5x certification to validate its resistance to dust, dirt and other environmental factors. Likewise, these benefits make the PMF-BC a welcome addition to train and bus stations, and other environments frequently subject to the elements.



CONVENIENT DISPLAY CONTROL THROUGH A CENTRALIZED RECEIVER

The PMF-BC displays drive user convenience through a centralized infrared receiver (IR). Contrary to standard displays which place their IR in a hard-to-access - and thus hard-to-control - location, the PMF-BC displays receive IR signals across their individual panels. As a result, users can activate IR functionalities from various locations and further augment quick and uninterrupted management.

SPECIFICATIONS

MODEL			PM55F-BC	PM55F-BC			
	Diagonal	Class	55		Кеу		Slim & Light Signage with Built-in MagicInfo S4, SSSP 4.0, Cap-Touch
Panel	Size Type	Measured	54.6" / 138.7cm 60Hz E-LED BLU			H/W	Non Glare Touch Panel, Temperature Sensor, Video Wall(15x15(OSD)), Video Wall Daisy Chain(16), Pivot Display, Clock Battery(168hrs
	Resolution		1920 x 1080 (16:9)	Feature	Special		Clock Keeping), Built in Speaker(10W x 2), WiFi Module Embedded, Tuner(only for NA), Center IR
	Pixel Pitch(mm) Active Display Area(mm)		0.630(H) x 0.630(V)			S/W	Magic Clone(to USB), Auto Source Switching & Recovery, RS232C/RJ45 MDC,Plug and Play, PIP/PBP, Image Rotation, Button Lock, DP1.2 Digital Daisy Chain(HDCP Support), Firmware Update by Network, New Home Screen, PC- less VideoWall, Multi Channel, Mobile Control.
	Brightness(Typ.)		1209.6(H) x 680.4(V) 400nit (w/ Touch Glass)				
	Contrast Ratio(Typ.)		4000:1				
	Viewing Angle(H/V)		178 / 178				Event Schedule, Backup Player
	Response Time(G-to-G)		8ms		Internal Player (Embedded H/W)	Processor	Cortex-A121.3GHz Quad Core CPU
	Display Colors		10bit Dithering - 1.07Billion			On-Chip Cache Memory	L1 (I/D) : 32KB / 32KB L2 (Unified) : 1MB
	Color Gamut		72%				1.3GHz CPU Quad
	Operation Hour		24/7			Clock Speed Main Memory	2.5GB
	Haze		25% (Panel), 15% (Glass)			Interface	3 channel 96bit DDR3-933 (1866MHz) 2D & 3D Graphics Engine
Display	Dynamic C/R		Mega			Graphics	- Up to 3,840x2,160p. 32bpp - Supports OpenGL ES
	H-Scanning Frequency		30 ~ 81kHZ			Storage (FDM)	8GB (3.75GB Occupied by O/S, 4.25GB Available)
	V-Scanning Frequency		48 ~ 75HZ				Video Decoder - MPEG-1/2/4, H263, H264/AVC, UHD H264/AVC - VC-1, AVS+, HEVC, JPEG, PNG, VP8, VP9
	Maximum Pixel Frequency		148.5MHz			Multimedia	
Sound	Speaker Type	RGB	Built in Speaker(10W + 10W)			. interneting	Audio DSP (Decoder) - AC3 (DD), MPEG, DTS and etc.
Connectivity	INPUT	VIDEO	DVI-I(D-Sub Common), Display Port 1.2 (2) HDMI 2.0 (2)			IO Ports	USB 2.0
		HDCP	HDCP 2.2			Operating System	Tizen 2.4 (VDLinux)
		AUDIO	Stereo mini Jack, RGB/DVI/HDMI				CB (Europe) : IEC60950-1/EN60950-1 CCC (China) : GB4943.1-2011 PSB (Singapore) : PSB+IEC60950-1 NOM (Mexico) : NOM-001-SCFI-1993 IRAM (Argentina) : IRAM+IEC60950-1 SASO (Saudi Arabia) : SASO4IEC60950-1 BIS(India) : IEC60950-1 / ISI3252 NOM(Mexico) : Tuner : NOM-001-SCFI-1993
		USB	USB 2.0 x 2 (1 Used for Touch)				
	OUTPUT	RGB	DP1.2(Loop-out)				
		VIDEO	N/A				
		AUDIO	Stereo mini Jack				
		Power Out	N/A		Safety		Tunerless : NOM-019-SCFI-1998 KC(Korea) : K 60950-1
		USB	USB Type-B (Touch Sensor Data)				EAC(Russia) : EAC+IEC60950-1 INMETRO(Brazil) : INMETRO+IEC60950-1
	External Control		RS232C(In/Out) thru Stereo Jack, RJ45	Certification			BSMI(Taiwan) : BSMI+IEC60950-1
	External Sensor		N/A				RCM(Australia) : IEC60950-1/AS/NZS 60950-1 UL(USA) : cUL60950-1
	Tuner		Yes (only for NA)				CSA (Canada) : cUL TUV (Germany) : CE
Power	Туре		Internal				NEMKO (Norway) : CE
	Power Supply		AC 100 ~ 240 V, 50/60 Hz				FCC (USA) Part 15, Subpart B Class A CE (Europe) : EN55022:2006+A1:2007
	Power Consumption	Max[W/h]	187				EN55024:1998+A1:2001+A2:2003 VCCI (Japan): VCCI V-3 /2010.04 Class A KCC/EK (Korea): Tuner: KN13 / KN20 Tunerless: KN22 / KN24 BSMI (Taiwan): CNS13438 (ITE EMI) Class A / CNS13439 (AV EMI) / CNS14409 (AV EMS)/
		Typical[W/h]	125				
		BTU(Max)	637.67				
		Sleep mode	less than 0.5W		EMC		CNS14372 (Digital) CNS14972 (Digital) C-Tick (Australia) : AS/NZS CISPR22:2009 CCC(China) :GB9254-2008
		Off mode	less than 0.5W				
Mechanical Spec	Dimension (mm) Weight (kg)	Set	1,248.4 x 733.4 x 58.4				GB17625.1-2012 GOST(Russia/CIS) : GOST R 51317 Series,
		Package	1,375 x 863 x 200				GOST 22505-97 EN55022:2006+A1:2007
		Set Package	26.4 32.0				EN55022:2006+A1:2007 EN55024:1998+A1:2001+A2:2003
	VESA Mount	i ackaye	52.0 400 x 400		Environment		N/A
	Protection Glass		3.2T Semi-Tempered Touch Glass		Included		Quick Setup Guide, Regulatory Guide , Warranty Card, Power Cord, Remote Controller, Batteries,
	Stand Type		Foot Stand (Optional)	Sound Operation		Ctond	RS232C(IN) Gender, Cover Jack, USB Cable
	Bezel Width (Top/Side/Bot) (mm)		25.0/17.9/25.0		Optional	Stand Mount	STN-L4655E WMN4270SD
Operation	Operating Temperature		0°C~ 40°C	operation		Specialty	N/A
	Humidity		10~80%			Media Player	SBB
	number					incula r layer	555

About Samsung Electronics Co., Ltd. Samsung Electronics Co., Ltd. inspires the world and shapes the future with transformative ideas and technologies. The company is redefining the worlds of TVs, smartphones, wearable devices, tablets, cameras, digital appliances, medical equipment, network systems, and semiconductor and LED solutions. For the latest news, please visit the Samsung Newsroom at news.samsung.com.

SMART Signage

For more information about Samsung SMART Signage PMF-BC Series, visit www.samsung.com/business or www.samsung.com/displaysolutions

Copyright © 2016 Samsung Electronics Co. Ltd. All rights reserved. Samsung is a registered trademark of Samsung Electronics Co. Ltd. Specifications and designs are subject to change without notice. Non-metric weights and measurements are approximate. All data were deemed correct at time of creation. Samsung is not liable for errors or omissions. All brand, product, service names and logos are trademarks and/or registered trademarks of their respective owners and are hereby recognized and acknowledged.

Samsung Electronics Co., Ltd. 416, Maetan 3-dong, Yeongtong-gu, Suwon-si, Gyeonggi-do 443-772, Korea

2016-11

