PJ-PEN-003

Interactive Package for PJD8353s & PJD8653ws

Overview

With this interactive package (PJ-PEN-003), the PJD8353s or PJD8653ws becomes an interactive projector that transforms any surface into an interactive whiteboard. Along with the included ViewDraw 2 software, the dual

interactive pens allow 2 users to simultaneously annotate, write, or draw on the projected image. This feature encourages collaboration and engages the audience.

Technical Specifications

IR Camera		
	Sensor Size	1/4" CMOS
	IR Band	940nm
	Resolution	2560 x 1920 (Interpolated); 640 x 480 (Native)
	Detect frame rate	60 fps (16.6ms)
	Calibration	Auto calibration
	Driver install	Auto calibration
	Throw Ratio	0.35
	Projected image distance and size	60" to 100"
	Multi touch	2-touch points
	Power consumption	150mA
	Memory	8M

IR-Pen		
	Light source wavelegth	IR(940nm)
	Driving current	110mA(Max)
	Power required	AAA Battery (alkaline) x 2
	Dimension	160mm (L) x 11.5mm (Diameter)
	Weight	50g (with Batteries)

OPERATING CONDITIONS		
	Temperature	10° ~ 40°C/ 64° ~ 104°F
	Humidity	10 ~ 85%, Non-Condensation

DIMENSIONS		
	Physical (WxHxD)	117 x 98 x 46mm
	Packaging	245 X 166 x 63mm

WEIGHT		
	Net	0.45kg
	Gross	0.59kg

PACKAGE CONTENTS		
		Pen with Battery x 2, IR Camera,Quick Start Guide, Software CD, 4.5M USB Cable

For more product information, visit us at **www.viewsoniceurope.com**

ViewSonic®
See the difference™

ViewSonic® Limited Warranty

ViewSonic provides customers with the security of a manufacturers warranty against defected products. The type and duration of the applicable warranty service varies by product type, country of purchase and can also vary on an individual basis according to customer requirements agreed at time of purchase. The warranty will expire after the end of the warranty period.

ViewSonic®
See the difference™